| Ref<br># | Hits | Search Query  | DBs                          | Default<br>Operator | Plurals | Time Stamp       |  |  |
|----------|------|---|------------------------------|---------------------|---------|------------------|--|--|
| S1       | 1    | "10/618864"   | US-PGPUB                     | OR                  | OFF     | 2006/04/06 13:23 |  |  |
| S2       | 1    | "5920310".pn.   | USPAT                        | OR                  | OFF     | 2005/08/26 15:11 |  |  |
| S3       | 12   | ("5305017"   "5469194"  <br>"5495077"   "5583539"  <br>"5628031"   "5644516").PN. OR<br>("5920310").URPN. | US-PGPUB;<br>USPAT;<br>USOCR | OR                  | OFF     | 2005/08/26 16:18 |  |  |
| S4       | 383  | 345/174.ccls.   | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/08/26 16:21 |  |  |
| S5       | 149  | 345/174.ccls. and thin  | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/08/26 16:19 |  |  |
| S6       | 3    | 345/174.ccls. and capactive   | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/08/26 16:19 |  |  |
| S7       | 166  | 345/174.ccls. and capacitive  | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/08/26 16:19 |  |  |
| S8       | 157  | 345/174.ccls. and capacitance   | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/08/26 16:19 |  |  |
| S9       | 93   | S7 and thin   | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/08/26 16:20 |  |  |
| S10      | 81   | S8 and thin   | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/08/26 16:19 |  |  |
| S11      | 23   | 345/174.ccls. and sensor near5 (under rear beneath behind)  | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/08/26 16:34 |  |  |
| S12      | 162  | support adj plate and (capacitive capacitance) and touch  | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/08/26 16:34 |  |  |
| S13      | 5    | rear near4 support adj plate and (capacitive capacitance) and touch                                       | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/08/26 16:35 |  |  |
| S14      | 3077 | (capacitive capacitance) same touch   | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/08/26 16:35 |  |  |
| S15      | 101  | (capacitive capacitance) same touch and flexible adj3 substrate   | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/08/26 16:36 |  |  |
| S16      | 12   | (capacitive capacitance) same<br>touch and flexible adj3 substrate<br>and rear adj surface                | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/08/26 16:43 |  |  |
| S17      | 554  | shigetaka.in.   | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/08/26 16:43 |  |  |
| S18      | 13   | "shigetaka, hiroshi".in.  | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/08/26 16:43 |  |  |
| S19      | 786  | 345/173.ccls.   | US-PGPUB                     | OR                  | OFF     | 2005/09/23 15:20 |  |  |
| S20      | 2344 | 345/173.ccls.   | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/09/23 15:21 |  |  |
| S21      | 670  | 345/173.ccls. and thin  | US-PGPUB;<br>USPAT           | OR                  | OFF     | 2005/09/23 15:21 |  |  |

| S22 | 499 | 345/173.ccls. and capacitive  | US-PGPUB;<br>USPAT           | OR | OFF | 2005/09/23 15:21 |
|-----|-----|---|------------------------------|----|-----|------------------|
| S23 | 11  | 345/173.ccls. and capacitive and flexible adj substrate   | US-PGPUB;<br>USPAT           | OR | OFF | 2005/09/23 15:34 |
| S24 | 53  | waterproof and touch adj pad  | US-PGPUB;<br>USPAT           | OR | OFF | 2005/09/23 15:34 |
| S25 | 33  | waterproof and touch adj pad and flexible   | US-PGPUB;<br>USPAT           | OR | OFF | 2005/09/23 15:40 |
| S26 | 74  | laptop and waterproof and touch   | US-PGPUB;<br>USPAT           | OR | OFF | 2005/09/23 15:40 |
| S27 | 6   | laptop same waterproof and touch  | US-PGPUB;<br>USPAT           | OR | OFF | 2005/09/23 15:41 |
| S28 | 85  | weatherproof and laptop   | US-PGPUB;<br>USPAT           | OR | OFF | 2005/09/23 15:41 |
| S29 | 25  | weatherproof and laptop and touch   | US-PGPUB;<br>USPAT           | OR | OFF | 2005/09/23 15:41 |
| S30 | 7   | ("5083118"   "5621438"  <br>"5751382"   "5869790"  <br>"5949501"   "6255604"  <br>"6382030").PN. OR ("6535203").<br>URPN. | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 15:53 |
| S31 | 3   | touchpad and laptop and handrest  | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 15:54 |
| S32 | 5   | touchpad and laptop and armrest   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 15:55 |
| S33 | 175 | touchpad and laptop and rest  | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 15:58 |
| S34 | 7   | touchpad near5 inside and laptop  | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 15:59 |
| S35 | 11  | touchpad near5 under and laptop   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 16:00 |
| S36 | 18  | touchpad near5 underneath and<br>laptop   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 16:01 |
| S37 | 7   | touchpad near5 inside and laptop  | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 16:02 |
| S38 | 37  | touchpad near5 within and laptop  | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 16:22 |

|     | T    | I.   | T                            | 1  |     | <del> </del> 1   |
|-----|------|--|------------------------------|----|-----|------------------|
| S39 | 18   | laptop near8 seal\$3   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 16:35 |
| S40 | 1527 | electrostatic and (touchscreen touchpad touch adj panel)   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 16:35 |
| S41 | 814  | electrostatic and capacit\$5 and (touchscreen touchpad touch adj panel)                            | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 16:35 |
| S42 | 114  | electrostatic adj capacit\$5 and (touchscreen touchpad touch adj panel)                            | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 16:39 |
| S43 | 23   | electrostatic adj capacit\$5 and (touchscreen touchpad touch adj panel) and flexible               | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 16:54 |
| S44 | 7    | electrostatic adj capacit\$5 and (touchscreen touchpad touch adj panel) and flexible adj substrate | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 16:39 |
| S45 | 1    | waterproof same touchpad   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 17:12 |
| S46 | 1    | "5305017".pn.  | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/23 17:12 |
| S47 | 4    | "flexible touch pad"   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/26 17:16 |
| S48 | 144  | flexible near4 (touchscreen<br>touchpanel "touch pad" "touch<br>panel")                            | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/26 17:16 |
| S49 | 341  | cover adj plate and touch adj (pad panel screen)   | US-PGPUB;<br>USPAT           | OR | OFF | 2005/09/27 09:54 |
| S50 | 8    | cover adj plate and touch adj (pad panel screen) and electrostatic                                 | US-PGPUB;<br>USPAT           | OR | OFF | 2005/09/27 09:55 |
| S51 | 159  | cover adj plate and touch adj (pad panel screen) and flexible                                      | US-PGPUB;<br>USPAT           | OR | OFF | 2005/09/27 13:19 |
| S52 | 9    | cover adj plate and touch adj (pad<br>panel screen) and flexible adj3<br>substrate                 | US-PGPUB;<br>USPAT           | OR | OFF | 2005/09/27 09:56 |
| S53 | 1    | "6262717".pn.  | US-PGPUB;<br>USPAT           | OR | OFF | 2005/09/27 13:19 |

| S54 | 35 | ("3886311"   "4071691"   "4103252"   "4179723"   "4246452"   "4265059"   "4476463"   "4495485"   "4550221"   "4587378"   "4639720"   "4672154"   "4680430"   "4736191"   "4740781"   "4743895"   "4817043"   "5245321"   "5271669"   "5305017"   "5327161"   "5457636"   "5481250"   "5572573"   "5717433"   "5730602"   "5737729"   "5748185").PN. OR ("6262717").URPN.                | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 13:25 |
|-----|----|---|------------------------------|----|-----|------------------|
| S55 | 31 | ("3886311"   "4071691"   "4103252"   "4179723"   "4246452"   "4265059"   "4476463"   "4495485"   "4550221"   "4587378"   "4639720"   "4672154"   "4680430"   "4736191"   "4740781"   "4743895"   "4817043"   "5245321"   "5271669"   "5305017"   "5327161"   "5457636"   "5481250"   "5572573"   "5717433"   "5730602"   "5737729"   "5748185").PN. OR ("6262717").URPN. and flexible   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 13:26 |
| S56 | 7  | (("3886311"   "4071691"   "4103252"   "4179723"   "4246452"   "4265059"   "4476463"   "4495485"   "4550221"   "4587378"   "4639720"   "4672154"   "4680430"   "4736191"   "4740781"   "4743895"   "4817043"   "5245321"   "5271669"   "5305017"   "5327161"   "5457636"   "5481250"   "5572573"   "5717433"   "5730602"   "5737729"   "5748185").PN. OR ("6262717").URPN.) and flexible | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 13:30 |
| S57 | 55 | touch adj pad and cover adj sheet   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 13:31 |
| S58 | 1  | touch adj pad and cover adj sheet<br>and (electrostatic electro-static)   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 13:31 |

| S59 | 40   | touch adj pad and cover adj sheet                                 | US-PGPUB;                    | OR | OFF | 2005/09/27 13:35 |
|-----|------|---|------------------------------|----|-----|------------------|
|     | 10   | and flex\$4   | USPAT;<br>USOCR              |    |     | 2003/03/27 13:33 |
| S60 | 105  | (electrostatic electro-static) near5 touch and cover              | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 13:36 |
| S61 | 37   | (electrostatic electro-static) near5 touch and cover and flexible | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 13:55 |
| S62 | 4582 | electrostatic near3 capacitance                                   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 13:55 |
| S63 | 278  | electrostatic near3 capacitance and touch                         | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 13:55 |
| S64 | 107  | electrostatic near3 capacitance and touch and cover               | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 13:55 |
| S65 | 38   | electrostatic near3 capacitance and touch and cover and flexible  | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 14:18 |
| S66 | 1    | "4723056".pn.   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 14:20 |
| S67 | 777  | 178/18.01.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 14:35 |
| S68 | 130  | 178/18.06.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 14:21 |
| S69 | 43   | 178/18.06.ccls. and flexible                                      | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 14:23 |
| S70 | 24   | 178/18.06.ccls. and electrostatic                                 | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 14:25 |
| S71 | 6    | 178/18.06.ccls. and electrostatic and flexible                    | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 14:23 |
| S72 | 70   | 178/18.01.ccls. and electrostatic                                 | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 14:36 |
| S73 | 27   | 178/18.01.ccls. and electrostatic and cover                       | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2005/09/27 14:43 |

|     |       | ,   |   | · · · · · · · · · · · · · · · · · · · |     | T                |
|-----|-------|---|---|---------------------------------------|-----|------------------|
| S74 | 28    | 178/18.01.ccls. and electrostatic and flexible  | US-PGPUB;<br>USPAT;<br>USOCR                            | OR                                    | OFF | 2005/09/27 14:36 |
| S75 | 1     | "5565657".pn.   | US-PGPUB;<br>USPAT;<br>USOCR                            | OR                                    | OFF | 2005/09/27 14:43 |
| S76 | 71513 | (touch adj (pad screen panel)<br>touchpad)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                                    | OFF | 2006/04/06 13:24 |
| S77 | 73    | (touch adj (pad screen panel)<br>touchpad) same curved near3<br>surface                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                                    | OFF | 2006/04/06 13:24 |
| S78 | 3     | (touch adj (pad screen panel)<br>touchpad) same curved near3<br>surface and electrostatic | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                                    | OFF | 2006/04/06 13:26 |
| S79 | 32    | (touch adj (pad screen panel)<br>touchpad) same curved and<br>electrostatic               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                                    | OFF | 2006/04/06 13:28 |
| S80 | 2666  | (touch adj (pad screen panel)<br>touchpad) and electrostatic                              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                                    | OFF | 2006/04/06 13:28 |
| S81 | 335   | (touch adj (pad screen panel)<br>touchpad) and electrostatic and<br>curved                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                                    | OFF | 2006/04/06 13:30 |
| S82 | 49    | touchpad same curv\$4   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                                    | OFF | 2006/04/06 14:01 |
| S83 | 2     | "6096984".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                                    | OFF | 2006/04/06 14:02 |

| S84 | 12 | ("4951036"   "5164713"  <br>"5327161"   "5424756"  <br>"5469194"   "5473347"  <br>"5491477"   "5543588"  <br>"5543591"   "5717431"  <br>"5748185"   "5764218").PN. | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2006/04/06 14:03 |
|-----|----|--|------------------------------|----|-----|------------------|
| S85 | 37 | touchpad and non-planar  | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2006/04/06 14:16 |
| S86 | 16 | cirque.as.   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2006/04/06 14:17 |
| S87 | 8  | cirque.as. and electrostatic   | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2006/04/06 14:38 |
| S88 | 0  | cirque.as. and capacitiance  | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2006/04/06 14:38 |
| S89 | 10 | cirque.as. and capacitive  | US-PGPUB;<br>USPAT;<br>USOCR | OR | OFF | 2006/04/06 14:42 |
| S90 | 2  | 09/603417  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ÖFF | 2006/04/06 14:42 |